

Physical/Occupational Therapy Prescription

ľ	V	a	I	I	1	е	

Date of Birth:

Diagnosis: Multi Directional Instability Code: S43.08x

Procedure: None

Surgery Date:

Instructions: PT TO EVAL AND TREAT

Range of motion:

-Muscles to focus upon: Rhomboids, Trapezius, Levator, and Deltoid.

- Phase I: Goals: Initiate voluntary control of scapula and humeral head position in 0° of abduction Voluntary control of the humeral head and scapula in 0° to 45° of abduction

Suggested exercises: Scapular upward rotation, 1-3x 20 reps for 5 sec hold 2x/day. If unable to perform 5 reps do side-lying scapular upward rotation

- Phase II: Goals: Improve strength of the posterior musculature involved in flexion Suggested exercises: Scapular upward rotation standing, 1-3x 20 reps 1-2x/day

External rotation with Thera band (do side lying if necessary)
Bent over row progress from 0.5 kg to 2 kg. Keep in neutral extension
Extension row with Thera band at 45° of abduction. Keep in neutral rotation

- Phase III: Goals: Achieve scapular control in the sagittal plane
Achieve motion in scapular plane to 45° elevation and sagittal plane to 45° elevation
Scapular upward rotation standing, work from coronal to sagittal plane 1-3x20 reps 2x/day, progress from 0-2 kg

0- 45° flexion in the scapular plane 1-3x20 reps 2x/day

During flexion palpate the humeral head to assess unwanted posterior translation. If the patient is unable to maintain humeral head control return to stage II.

- Phase IV: Goals: Achieve scapular control at 90° abduction o Achieve scapular control through 0° to 90° motion in abduction.

External rotation standing from 45° to 90° abduction 1-3x20reps 2x/day

External rotation drills at 90° abduction, Internal rotation drills at 90° abduction, Flexion to 90° abduction, External row standing, at 90° abduction • Perform all the above 1-3x20 reps 2x/day progressing in weight resistance.

- Phase V:

Goals: Strengthen anterior, middle and posterior deltoid. \S Posterior: bent over row from 0° to 45° to 90° abduction

Anterior: flexion with Thera Band (sitting/standing) short lever flexion with weight 1-3x8-20reps at 0-4 kg

Phase VI:

Goals: Scapular control over 90° of abduction/elevation o Incorporate into sport specific or function specific exercises

Progress external rotation from 90° to full range of motion Progress internal rotation from 90° to full range of motion

Progress flexion from 90° to full range of motion Progress deltoid drill in phase V to exceed 90°

Incorporate trunk stability: Increase reps, frequency, and weight as fit per patient.

Please provide with a home exercise program to be performed throughout

- Progress as tolerated.

Mod	alities	· He	at . ice
wou	ลแนษง). I IC	วเ. เ เษ

Frequency: 2-3 times/week

Duration: 6 weeks

e	ig	n	9	ŧ.		ro	٠.
J	ıy	••	a	ш	u		٠.

Date: